

# BIG SUN INDUSTRY CO., LTD.

5F, No.398, Keelung Rd. Section 1, Taipei (110), Taiwan.

TEL.8862 2758-3131 FAX.8862 2758-2233

E-mail: stanley@bsunlight.com URL – <http://www.bsunlight.com>


## T5mm & T10mm LED Wedge Base Lights




T5 wedge 1 Led



T 5 wedge 1 Hi Power



T5mm Neowedge LED



T5 wedge 1 Led + Socket



B8.5 - 90 degree



B8.5 Hi Power



194-1A



194-1R(90d)



S9-1B



E10-1R(90d)



194-4A

\*194-1A: T10 wedge 1 Amber (color available Red, Amber, White, Green, Blue)

\*194-1R(90d): T8 wedge (90 degree) (~ditto~) \*S9-1B: T10 Ba9s 1 Blue Led (~ ditto ~)

\*E10-1R(90d): T8 E10 1 Red Led (~ditto~)\*194-4A: T10 wedge 4 Amber Led (~ditto~)



194-1HP6



194-18HP3



194-5HP3



194-9HP3



194(1S+4Q)



194-1HP(FLK)



194-2HP(FLK)



194-2LED(INR)



194-8HP



S9-1HP(FLK)

# BIG SUN INDUSTRY CO., LTD.

5F, No.398, Keelung Rd. Section 1, Taipei (110), Taiwan.

TEL: 886-2-2758-3131 FAX: 886-2-2758-2233

E-mail: [stanley@bsunlight.com](mailto:stanley@bsunlight.com) URL – <http://www.bsunlight.com>

## T10mm LED Wedge Base Lights

194-1LED Amber Frost (30°)



Voltage: 12/ 24 VDC Available.  
View Angle: 30° 90°  
Clear/ Frost Available.  
Colors: R/A/G/B/W

194-1LED Red Clear(120°)



Voltage: 12/ 24 VDC Available.  
View Angle: 90° 120°  
Clear Only.  
Colors: R/A/G/B/W

194-4LED Amber (30°)



Voltage: 12/ 24 VDC Available.  
View Angle: 30° 90°  
Clear Only.  
Colors: R/A/G/B/W

194-(1Flux+4LED) White



Voltage: 12/ 24 VDC Available.  
View Angle: 30° 90°  
Clear Only.  
Colors: R/A/G/B/W

194-1HP6 Amber (FTG)



Voltage: 12/ 24 VDC Available.  
Colors: R/A/G/B/W

194-1HP6 White (FLK)



Voltage: 12/ 24 VDC Available.  
Colors: R/A/G/B/W

194-2HP6 White (FLK)




Voltage: 12/ 24 VDC Available.  
Colors: R/A/G/B/W

194-5HP3 Amber



Voltage: 12/ 24 VDC Available.  
Colors: R/A/G/B/W

194-8HP3 Amber



Voltage: 12/ 24 VDC Available.  
Colors: R/A/G/B/W

194-9HP3 Amber



Voltage: 12/ 24 VDC Available.  
Colors: R/A/G/B/W

**194-13HP3 White**



**Voltage: 12/ 24 VDC Available.**  
**Colors: R/A/G/B/W**

**194-18HP3 Amber**



**Voltage: 12/ 24 VDC Available.**  
**Colors: R/A/G/B/W**